ELSEVIER

European Journal of Pharmacology 338 (1997) 297–299

ejp

Author index

Aboo Zar, M., see Iravani, M.M. (338) 75
Aceto, M.D., Harris, L.S. and Bowman, E.R.
Etorphines: μ-opioid receptor-selective antinociception and low physical dependence capacity (338) 215
Aldrich, J.V., see Soderstrom, K. (338) 191
Almazan, G., see Liu, H.-N. (338) 277
Altura, B.M., Zhang, A. and Altura, B.T.
Exposure of piglet coronary arterial muscle cells to low concentrations of Mg^{2+} found in blood of ischemic heart disease patients result in rapid elevation of cytosolic Ca^{2+}: Relevance to sudden infant death syndrome (338) R7
Altura, B.T., see Altura, B.M. (338) R7
Amenta, F., see Barili, P. (338) 89
Anderson, G.P., see Bowden, J.J. (338) 83
Arakawa, T., see Sasaki, E. (338) 253
Assayag, P., see Besse, S. (338) 123

Baldoni, E., see Barili, P. (338) 89
Bar-Joseph, A., see Striem, S. (338) 205
Barili, P., Ricci, A., Baldoni, E., Mignini, F. and Amenta, F.
Pharmacological characterisation and autoradiographic localisation of a putative dopamine D_3 receptor in the rat kidney (338) 89
Bellasio, R., see Calzi, F. (338) 185
Berkovitch, Y., see Striem, S. (338) 205
Berman, F.W., see Soderstrom, K. (338) 191
Besse, S., Assayag, P., Latour, C., Janmot, C., Robert, V., Delcayre, C., Nahas, G. and Swynghedauw, B.
Molecular characteristics of cocaine-induced cardiomyopathy in rats (338) 123
Biegon, A., see Striem, S. (338) 205
Bowden, J.J., Anderson, G.P., Lefevre, P.M., Sulakvelidze, I. and McDonald, D.M.
Characterization of tolerance to the anti-leakage effect of formoterol in rat airways (338) 83
Bowman, E.R., see Aceto, M.D. (338) 215
Brackett, R.L., see Matsumoto, R.R. (338) 233
Bruno, V., see Sureda, F. (338) R1
Bullock, G.R., see Joos, G.F. (338) 259

Caccia, S., see Calzi, F. (338) 185
Calzi, F., Bellasio, R., Guiso, G., Caccia, S. and Tacconi, M.T.
Effect of piribedil and its metabolite, S584, on brain lipid peroxidation in vitro and in vivo (338) 185
Chiba, S., see Hirose, M. (338) 35
Choi, H., see Soderstrom, K. (338) 191
Clayton, P., see Thomas, N.K. (338) 111
Clincke, G., see Scheller, D.K.A. (338) 243
Cooney, G., see Qu, X. (338) 269
Copani, A., see Sureda, F. (338) R1
Custers, F.G.J., Leysen, J.E., Stoof, J.C. and Herscheid, J.D.M.
Vesamicol and some of its derivatives: Questionable ligands for selectively labelling acetylcholine transporters in rat brain (338) 177

Dannals, R.F., see Mochizuki, T. (338) 17
Delcayre, C., see Besse, S. (338) 123
De Ryck, M., see Scheller, D.K.A. (338) 243
Diéguez, G., see Monge, L. (338) 135
Donnelly, R., see Qu, X. (338) 269
Dowell, F.J. and Martin, W.
The effects of peroxynitrite on rat aorta: interaction with glucose and related substances (338) 43
Duarte, J., Ocete, M.A., Pérez-Vizcaino, F., Zarzuelo, A. and Tamargo, J.
Effect of tyrosine kinase and tyrosine phosphatase inhibitors on aortic contraction and induction of nitric oxide synthase (338) 25
Dvorkin, B., see Makman, M.H. (338) 171

Efange, S.M.N., see Staley, J.K. (338) 159

Fatehi-Hassanabad, Z. and Parratt, J.R.
Genistein, an inhibitor of tyrosine kinase, prevents the antiarrhythmic effects of preconditioning (338) 67
Fernández, N., see Monge, L. (338) 135
Fujiwara, Y., see Sasaki, E. (338) 253
Fukamauchi, F., Wang, Y.-J., Mataga, N. and Kusakabe, M.
Paradoxical behavioral response to apomorphine in tenascin-gene knockout mouse (338) 7
Fukuda, T., see Sasaki, E. (338) 253
Furukawa, Y., see Hirose, M. (338) 35

García, J.L., see Monge, L. (338) 135
García-Villalón, Á.L., see Monge, L. (338) 135
Gómez, B., see Monge, L. (338) 135
Guiso, G., see Calzi, F. (338) 185

Hara, Y., see Watanabe, Y. (338) 71
Harris, L.S., see Aceto, M.D. (338) 215
Heidari, M.-R., see Zarrindast, M.-R. (338) 11
Herscheid, J.D.M., see Custers, F.G.J. (338) 177
Higuchi, K., see Sasaki, E. (338) 253
Hirose, M., Furukawa, Y., Nagashima, Y., Lakhe, M., Miyashita, Y. and Chiba, S.
PACAP-27 causes negative and positive dromotropic effects in anesthetized dogs (338) 35
Hisa, H., see Yoshida, K. (338) 131
Hourani, S.M.O., see Nicholls, J. (338) 143
Huang, H.-J., see Huang, Y.-H. (338) 117
Huang, Y.-H., Tsai, S.-J., Huang, H.-J. and Sim, C.-B.
Effects of amphetamine challenge on local cerebral glucose utilization after chronic dopamine D_1 and D_2 receptor agonist administration to rats (338) 117

Ikeda, U., see Shimpo, M. (338) 97
Iraie, F., see Zarrindast, M.-R. (338) 11
Iravani, M.M. and Aboo Zar, M.
The presence and the effects of neuropeptide Y in rat anococcygeus muscle (338) 75
Ischiropoulos, H., see Zingarelli, B. (338) 55
Ishima, T., see Shimidzu, T. (338) 225
Itoh, Y., see Shimidzu, T. (338) 225

Jane, D.E., see Thomas, N.K. (338) 111
Janmot, C., see Besse, S. (338) 123
Jansson, C.C., see Virolainen, S. (338) 293
Joos, G.F., Lefebvre, R.A., Bullock, G.R. and Pauwels, R.A.
Role of 5-hydroxytryptamine and mast cells in the tachykinin-induced contraction of rat trachea in vitro (338) 259

Kameyama, T., see Ukai, M. (338) 1
Kanthasamy, A.G., see Matsumoto, R.R. (338) 233
Kawada, N., see Sasaki, E. (338) 253
Khare, A.B., see Staley, J.K. (338) 159
Kimura, K., see Shimidzu, T. (338) 225
Knöpfel, T., see Sureda, F. (338) R1
Kobayashi, K., see Sasaki, E. (338) 253
Kolb, J., see Scheller, D.K.A. (338) 243
Komurasaki, T., see Sasaki, E. (338) 253
Kurosaki, K., see Shimpo, M. (338) 97
Kusakabe, M., see Fukamauchi, F. (338) 7

Lakhe, M., see Hirose, M. (338) 35
Latour, C., see Besse, S. (338) 123
Lefebvre, R.A., see Joos, G.F. (338) 259
Lefevre, P.M., see Bowden, J.J. (338) 83
Leysen, J.E., see Custers, F.G.J. (338) 177
Lin, Y. and Long, J.B.
Prolonged pre-exposure to 1-aminocyclopropanecarboxylic acid protects against subsequent glutamate toxicity in vitro (338) 289
Liu, H.-N., Molina-Holgado, E. and Almazan, G.
Glutamate-stimulated production of inositol phosphates is mediated by Ca^{2+} influx in oligodendrocyte progenitors (338) 277
Liu, X., see Mochizuki, T. (338) 17
Long, J.B., see Lin, Y. (338) 289
Lu, Y., see Rollema, H. (338) R3

Maeda, Y., see Shimpo, M. (338) 97
Makman, M.H. and Dvorkin, B.
Presence of nociceptin (orphanin FQ) receptors in rat retina: Comparison with receptors in striatum (338) 171
Martin, W., see Dowell, F.J. (338) 43
Mash, D.C., see Staley, J.K. (338) 159
Mataga, N., see Fukamauchi, F. (338) 7
Matsumoto, R.R., Brackett, R.L. and Kanthasamy, A.G.
Novel NMDA/glycine site antagonists attenuate cocaine-induced behavioral toxicity (338) 233
McDonald, D.M., see Bowden, J.J. (338) 83
Meltzger, G., see Sureda, F. (338) R1
Mignini, F., see Barili, P. (338) 89
Miyashita, Y., see Hirose, M. (338) 35
Mochizuki, T., Villemagne, V.L., Scheffel, U., Liu, X., Musachio, J.L., Dannals, R.F. and Wagner Jr., H.N.
A simple probe measures the pharmacokinetics of [^{125}I]RTI-55 in mouse brain in vivo (338) 17
Mohagheghi-Badi, M., see Zarrindast, M.-R. (338) 11
Molina-Holgado, E., see Liu, H.-N. (338) 277
Monge, L., García-Villalón, Á.L., Fernández, N., García, J.L., Gómez, B. and Diéguez, G.
In vitro relaxation of dog cerebral veins in response to histamine is mediated by histamine H_2 receptors (338) 135
Mue, S., see Yamashita, M. (338) 151
Murray, T.F., see Soderstrom, K. (338) 191
Musachio, J.L., see Mochizuki, T. (338) 17

Nagashima, Y., see Hirose, M. (338) 35
Nahas, G., see Besse, S. (338) 123
Nakaya, H., see Watanabe, Y. (338) 71
Nicholls, J. and Hourani, S.M.O.
Characterization of adenosine receptors on rat ileum, ileal longitudinal muscle and muscularis mucosae (338) 143
Nicoletti, F., see Sureda, F. (338) R1
Niki, H., see Yamashita, M. (338) 151
Niwa, M., see Sakurai-Yamashita, Y. (338) 199

Obana, M., see Sakurai-Yamashita, Y. (338) 199
Ocete, M.A., see Duarte, J. (338) 25
Ohuchi, K., see Yamashita, M. (338) 151
Oka, M., see Shimidzu, T. (338) 225
Okada, K., see Shimpo, M. (338) 97

Parratt, J.R., see Fatehi-Hassanabad, Z. (338) 67
Parsons, S.M., see Staley, J.K. (338) 159
Pauwels, R.A., see Joos, G.F. (338) 259
Pérez-Vizcaino, F., see Duarte, J. (338) 25

Qu, X., Cooney, G. and Donnelly, R.
Short-term metabolic and haemodynamic effects of GR79236 in normal and fructose-fed rats (338) 269

Ricci, A., see Barili, P. (338) 89
Riekkinen, M., Schmidt, B.H. and Riekkinen Jr., P.
Subchronic treatment increases the duration of the cognitive enhancement induced by metrifonate (338) 105
Riekkinen Jr., P., see Riekkinen, M. (338) 105
Robert, V., see Besse, S. (338) 123
Rollema, H., Lu, Y., Schmidt, A.W. and Zorn, S.H.
Clozapine increases dopamine release in prefrontal cortex by 5-HT_{1A} receptor activation (338) R3

Saito, T., see Shimpo, M. (338) 97
Sakurai-Yamashita, Y., Yamashita, K., Yoshida, A., Obana, M., Takada, K., Shibaguchi, H., Shigematsu, K., Niwa, M. and Taniyama, K.
Rat peritoneal macrophages express endothelin ET_B but not endothelin ET_A receptors (338) 199
Salzman, A.L., see Zingarelli, B. (338) 55
Sasaki, E., Arakawa, T., Fujiwara, Y., Kawada, N., Fukuda, T., Higuchi, K., Komurasaki, T. and Kobayashi, K.
Epiregulin stimulates proliferation of rabbit gastric cells in primary culture through autophosphorylation of the epidermal growth factor receptor (338) 253
Sasaki, Y., see Ukai, M. (338) 1
Satoh, S., see Yoshida, K. (338) 131
Scheffel, U., see Mochizuki, T. (338) 17
Scheinin, M., see Virolainen, S. (338) 293
Scheller, D.K.A., De Ryck, M., Kolb, J., Szathmary, S., Van Reempts, J., Clincke, G. and Tegtmeier, F.
Lubeluzole blocks increases in extracellular glutamate and taurine in the peri-infarct zone in rats (338) 243
Schmidt, A.W., see Rollema, H. (338) R3
Schmidt, B.H., see Riekkinen, M. (338) 105
Shibaguchi, H., see Sakurai-Yamashita, Y. (338) 199
Shigematsu, K., see Sakurai-Yamashita, Y. (338) 199
Shimada, K., see Shimpo, M. (338) 97
Shimidzu, T., Itoh, Y., Oka, M., Ishima, T., Ukai, Y., Yoshikuni, Y. and Kimura, K.
Effect of a novel cognition enhancer NS-105 on learned helplessness in rats: Possible involvement of $GABA_B$ receptor up-regulation after repeated treatment (338) 225
Shimpo, M., Ikeda, U., Maeda, Y., Kurosaki, K., Okada, K., Saito, T. and Shimada, K.
Serotonin inhibits nitric oxide synthesis in rat vascular smooth muscle cells stimulated with interleukin-1 (338) 97
Sim, C.-B., see Huang, Y.-H. (338) 117
Soderstrom, K., Choi, H., Berman, F.W., Aldrich, J.V. and Murray, T.F.
N-Alkylated derivatives of [D-Pro^{10}]dynorphin A-(1-11) are high affinity partial agonists at the cloned rat κ-opioid receptor (338) 191

Staley, J.K., Mash, D.C., Parsons, S.M., Khare, A.B. and Efange, S.M.N.
Pharmacological characterization of the vesamicol analogue (+)-[^{125}I]MIBT in primate brain (338) 159
Stoof, J.C., see Custers, F.G.J. (338) 177
Striem, S., Bar-Joseph, A., Berkovitch, Y. and Biegon, A.
Interaction of Dexanabinol (HU-211), a novel NMDA receptor antagonist, with the dopaminergic system (338) 205
Sulakvelidze, I., see Bowden, J.J. (338) 83
Sureda, F., Copani, A., Bruno, V., Knöpfel, T., Meltzger, G. and Nicoletti, F.
Metabotropic glutamate receptor agonists stimulate polyphosphoinositide hydrolysis in primary cultures of rat hepatocytes (338) R1
Suzuki-Kusaba, M., see Yoshida, K. (338) 131
Swynghedauw, B., see Besse, S. (338) 123
Szabó, C., see Zingarelli, B. (338) 55
Szathmary, S., see Scheller, D.K.A. (338) 243

Tacconi, M.T., see Calzi, F. (338) 185
Takada, A., see Ukai, M. (338) 1
Takada, K., see Sakurai-Yamashita, Y. (338) 199
Tamagawa, M., see Watanabe, Y. (338) 71
Tamargo, J., see Duarte, J. (338) 25
Taniyama, K., see Sakurai-Yamashita, Y. (338) 199
Tegtmeier, F., see Scheller, D.K.A. (338) 243
Thomas, N.K., Clayton, P. and Jane, D.E.
Dicarboxyphenylglycines antagonize AMPA- but not kainate-induced depolarizations in neonatal rat motoneurones (338) 111
Tomura, Y., see Yoshida, K. (338) 131
Tsai, S.-J., see Huang, Y.-H. (338) 117

Ukai, M., Takada, A., Sasaki, Y. and Kameyama, T.
Stimulation of δ_1- and δ_2-opioid receptors produces amnesia in mice (338) 1
Ukai, Y., see Shimidzu, T. (338) 225

Van Reempts, J., see Scheller, D.K.A. (338) 243
Villemagne, V.L., see Mochizuki, T. (338) 17
Virolainen, S., Jansson, C.C. and Scheinin, M.
Assessment of α_2-adrenoceptor antagonist potency with GTPase assay (338) 293

Wagner Jr., H.N., see Mochizuki, T. (338) 17
Wang, Y.-J., see Fukamauchi, F. (338) 7
Watanabe, Y., Hara, Y., Tamagawa, M. and Nakaya, H.
Pirmenol inhibits muscarinic acetylcholine receptor-operated K^+ current in the guinea pig heart (338) 71

Yamada, M., see Yamashita, M. (338) 151
Yamagata, T., see Yoshida, K. (338) 131
Yamashita, K., see Sakurai-Yamashita, Y. (338) 199
Yamashita, M., Niki, H., Yamada, M., Mue, S. and Ohuchi, K.
Induction of nitric oxide synthase by lipopolysaccharide and its inhibition by auranofin in RAW 264.7 cells (338) 151
Yoshida, A., see Sakurai-Yamashita, Y. (338) 199
Yoshida, K., Yamagata, T., Tomura, Y., Suzuki-Kusaba, M., Yoshida, M., Hisa, H. and Satoh, S.
Effects of C-type natriuretic peptide on renal vasoconstriction in dogs (338) 131
Yoshida, M., see Yoshida, K. (338) 131
Yoshikuni, Y., see Shimidzu, T. (338) 225

Zarrindast, M.-R., Iraie, F., Heidari, M.-R. and Mohagheghi-Badi, M.
Effect of adenosine receptor agonists and antagonists on morphine-induced catalepsy in mice (338) 11
Zarzuelo, A., see Duarte, J. (338) 25
Zhang, A., see Altura, B.M. (338) R7
Zingarelli, B., Ischiropoulos, H., Salzman, A.L. and Szabó, C.
Amelioration by mercaptoethylguanidine of the vascular and energetic failure in haemorrhagic shock in the anesthetised rat (338) 55
Zorn, S.H., see Rollema, H. (338) R3